

Software and Firmware Change History

Version	Summary of Changes	Requirements	Status
V48	Support for M3R3 radios. Required for L1500 housings	Firmware 12 or above	Beta
V47	Use of Production camera Numbers now possible. Hitachi additions and bug fixes	Firmware 12 or above	Stable
V46	Addition of Sony Parameters. Fix for Hitachi cameras with 5 ND positions	Firmware 12 or above	Superseded
V45	Ikegami Fixes and additions	Firmware 12 or above	Superseded
V44	Additions to Hitachi Cameras and Panels	Firmware 12 or above	Superseded
V43	Fix for Sony PMW Series cameras and TD300	Firmware 12 or above	Superseded
V42	Ikegami HDL45A support, Red Tally and F-Stop indication on OCP400, Sony Multi command bug fix.	Firmware 12 or above	Superseded
V41	Sony low level comms fix, FSK output support, Stabilised Ikegami OCP200, Stabilised Ikegami Cameras	Firmware 12 or above	Superseded
V40	Grass Valley Bug fixes and additions	Firmware 12 or above	Superseded
V39	Added support for Hitachi and Ikegami cameras and OCPs. Added Sony audio parameters and various Sony improvements and bug fixes. Extra camera menus for Panasonic and Sony options.	Firmware 12 or above	Superseded
Firmware 12	Small Bug fix in UART OCP Inputs 2 and 4	Software 26 or above	Stable
Firmware 11	Added support for Igegami cameras/OCP	-	Not Public
Firmware 10	Added support for output standard option card	-	Not Public
V38	Added Sony functions, Skin Detail 1 and Detail parameters. 5600K re-enabled temporarily.	Firmware 5 or above	Superseded
V37	Grass valley OCP and camera additions and bug fixes	Firmware 5 or above	Superseded
V36	-	Firmware 5 or above	Superseded
V35	Grass Valley OCP support. Teledesigns Radio frequency change support. Panasonic Detail control added.	Firmware 5 or above	Not Public
V34	Sony additions/fixes: Gamma Step, Gain for RM-B panels. Fine frequency tuning for new model Satel Radios	Firmware 5 or above	Superseded
V33	Sony P1 support	Firmware 5 or above	Superseded
V32	-	-	Not Public
Firmware 9	RS 485 output improvements	Software 26 or above	Superseded
V31	-	-	Not Public
Firmware 8	-	-	Not Public
Firmware 7	-	-	Not Public

Version	Summary of Changes	Requirements	Status
V30	Updater Improvements Sony AWB/ABB stall prevention	Firmware 5 or above	Not Public
Firmware 6	PCB Diagnostic Aids	Software 26 or above	Superseded
V29	Firmware updater available. Sony P1 support	Firmware 5 or above, Optional Hardware modification***	Superseded
V27	Bug Fix (introduced in v26)	Firmware 5 or above	Superseded
V26	Basic Grass Valley camera support	Firmware 5 or above	Superseded
Firmware 5	Grass Valley electrical interface enabled	Software 26 or above*	Superseded
V125	Panasonic Detail control (Special release)	Firmware 3-4	Stable
V25	Panasonic Bug Fix (introduced in v24)	Firmware 3-4	Stable
V24	Panasonic CamCorder "Record" Tally	Firmware 3-4	Superseded
V23	Added Sony functions. Satel fine frequency adjustment.	Firmware 3-4	Superseded
Firmware 4	External Tally output enabled	-	Stable
V22	Panasonic Only	Firmware 3	Superseded
V21	Panasonic Response improvements	Firmware 3	Superseded
V20	Panasonic Improvements	Firmware 3	Superseded
V19	Basic Panasonic Support	Firmware 3	Superseded
V18	-	-	Not Public
V17	-	-	Not Public
V16	HDC1500-R Tally fix	-	Not Public
V15	-	-	Not Public
V14	Support for Firmware 3	Firmware 3	Not Public
Firmware 3	Panasonic Electrical interface enabled	Software 14 or above	Superseded
V13	Radio Programmable via panel	-	Not Public
V12	-	-	Not Public
V11	Menu Interface	-	Not Public
V10	RCP 1500 support	-	Not Public
V9	Sony Support	-	Not Public

***Optional Hardware modifications are available on units dispatched before 20/6/2012 which allow Firmware updates via the updater program.

**License Key available from Videosys Broadcast Limited or Regional Cobham distributor. Features may stop working if this is not obtained prior to upgrading.

* Radio Baud rate and Parity change

Key:

Beta Software. Could contain unknown problems.

Stable Release. Recommended for general use.

Stable Release. Update recommended, but may require returning to Videosys Broadcast Ltd.

Not recommended for general use.